Wednesday, 3/28/2007 12:40:05 PM

User

Prsht Rev.

Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Job Number : 31528

Estimate Number : 11076

: N/A P.O. Number : 3/28/2007 This Issue

s.O. No. : 14/1/

: NIA

: MACHINED PARTS Type

First Issue : 28079 Previous Run

Written By Checked & Approved By

Comment

Re-Format : Est Rev:E Est Rev:E

05-11-29 JLM Re-Format 05-11-29 JLM

Drawing Name

Part Number

Drawing Number

: OUTER FWD SADDLE

: D5951

D5951 REV.B

: N/A Project Number Drawing Revision

: NIA Material **Due Date**

: 4/15/2007

Each Um:

Additional Product

Job Number:



orshi!

- wic

Machine Or Operation:

Description:

1:0 Ν 46.5 (8)

D6101013

Comment: Qty.:

Saddle billet

6.0000 Each(s)

D6101-013 (7075-T7351)

Size 2.50" x 10.10" X 8.25" (Grain along 10.10")

1.0000 Each(s)/Unit

Batch: **B**25356

2.0

HAAS CNC VERTICAL MACHINING #3



Comment: HAAS CNC VERTICAL MACHINING #3

1-Machine as per folio D5951, Ensure Batch Number is entered

Total:

III. :17

2-Machine Keyway

3.0

·C

i niti 100

3-Deburr & Tumble

INSPECT ALL DIM TO DIM SHEE

Comment: INSPECT ALL DIM TO DIM SHEET

4.0

5.0



SECOND CHECK

*Comment: SECOND CHECK

QC8

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1



Dart Aerospace Ltd

W/O:			WORK O	RDER CHANG	BES				
DATE	STEP	· .	OCEDURE CHANGE		Ву	By Date	ate Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	<u> </u>	PAR #:	Fault Category:		NCR: Yes	No PO	A: <u></u>		7/0/10

QA: N/C Closed: ____ Date: ___

NCR:		V	WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B	· · ·	Varification	A	A		
DATE	STEP	Section A	Initial Chief Eng	Chief Eng Chief Eng I		Verification Section C	Approval Chief Eng	Approval QC Inspector		
		•		•						
			· · · · · · · · · · · · · · · · · · ·							
			·				•			
			·							

NOTE: Date & initial all entries

Wednesday, 3/28/2007 12:40:05 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: OUTER FWD SADDLE Customer: CU-DAR001 Dart Helicopters Services Part Number: D5951 Job Number: 31528 Job Number: Description: Seq. #: [____ Machine Or Operation: POWDER COATING POWDER COATING 6.0 m 103706 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 7.0 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING 1 8.0 ekunyi der. Comment: PACKAGING RESOURCE #1 Identify and Stock Location: QC21 9.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
				-					
•	·								
			•						
Part No) :	PAR #: Fault Category:	NCR: Ye	s No DQA	\ :	Date:			

QA: N/C Closed: _____ Date: ____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC	Corrective Action Section B				A		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector	
						·			
		·							
			•,						
•									
					1.	7			
					,				

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	3158
Description: Outer Fwd Saddle	Part Number:	D5951
Inspection Dwg: D5951 Rev: B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

			ingrited on more	1		ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.437	0.444		B. 439"	.440	-440	2440		
B	1.745	1.755		1 749"	1.750	1.750	1.750		
, C	5.245	5.255		5 2471	5-251	5-251	5.250		
D	6.995	7.005		6.995"	,7.000	6.998	6.997		
Е	5.745	5.755		5 748"	5.748	5.750	5.751		
F	4.745	4.755		4.748	4.750	4.750	4.750		
G	0.312	0.319		0 315"	.316	316	-316		·
TH	1.522	1.532		1.524	1.526	1.527	1.526		
1	3.048	3.058		3.056"	3.053	3.054	3.054		
Tod .	4.575	4.585		4.580"	4.579	4.580	4580		
K	0.312	0.319		0.314	3/6	- 316	-316		
₹,L	0.495	0.505		500	- 500	. 499	.498 .494		
M	0.490	0.510	1	, 496^	.495	.505	.494		
_{In} N	1.615	1.635		R1 625	1.625	1.625 7.998	1.625		
O	7.990	8.010		8,006"	7.998	7.998	7.998		
P	2.240	2.260		R 3.250°	2.250	2.254	2.246		
Q	0.307	0.312		0 313"	,310	-310	.3/2		
, CR	0.760	0.765		760"	.761	761	.761		
S_	0.490	0.510		500"	.501_	496	.499		
	1.375	1.395		1'381"	1. 382 _	1.384	1.396		
(9)	2.000	2.020		2,000"	2.002	2.003	2.0/2		
_V								ļ	
W						,			
4-X									
-, Y									
_Z		•				•			
-AA									
-AB									
AC									
-AD									
AE									<u>.</u>
AF									
∔AG				1		/			
AH						1			
t mij	Acc	ept/Reje	ct						

* Y soft		1			
Measured by:	J.F.	156	Audited by	me -	
Date:	07/03/30/	07/03/31	Date:	07/04/01	

Rev	Date	Change	Revised by	Approved
A	99.04.19	New Issue	RF	•
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
C	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC	B

DART AEROSPACE LTD		Work Order:	31528
Description: Outer Fwd Saddle		Part Number:	D5951
Inspection Dwg: D5951	Rev: B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:


,,,,,,			ignted on mape			ıal Dimensi			
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
·A	0.437	0.444		.440	.400				
В	1.745	1.755		1.750	1.749				
'÷C	5.245	5.255		5-250	5.250				
- D	6.995	7.005		6.998	6-998				
- E	5.745	5.755		5.75L	5.750				
F	4.745	4.755		4.750	4.750				
G	0.312	0.319		.316	316				
£Н	1.522	1.532		1.527	1.527				
	3.048	3.058		3.054	3.053				
J	4.575	4.585		4.579	3.053				
K	0.312	0.319		316	. 316 .499				
Ϊ, L	·0.495	0.505		.498	-499				
M	0.490	0.510		.509	.508				
in N	1.615	1.635		1.625	1.625				
O	7.990	8.010		7.998	7 49x				
Р	2.240	2.260		2.258	2.257 310				
Q	0.307	0.312		-310	310				
ŮR∙	0.760	0.765		.761	761				
- S	0.490	0.510		,500	761			}	
- S	1.375	1.395		1.382	1.382				
₩U	2.000	2.020		2.002	2.002			,	
- V									
- W									
X									
X									
Z									
AA					<u>.</u>				
-,AB					W				
AC									
AD				-					
AE		-	·						
-AF									
AG									
-AH	**								
-5	Acc	ept/Reje	ct						

Measured by:	ブート	Audited by	me
Date:	07/63/31	Date:	07/04/01

Rev	Date	Change	Revised by	Approved
v.A	99.04.19	New Issue	RF	
·B	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC 🚜	B







COPYRIGHT © 1997 BY DART AEROSPACE LTD

4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

5) BREAK ALL SHARP EDGES 0.010 TO 0.020

Ar

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.